

SECTION IX

Welding, Brazing, and Fusing Qualifications

2025

ASME Boiler and
Pressure Vessel Code
An International Code

Qualification Standard for
Welding, Brazing, and Fusing
Procedures; Welders; Brazers;
and Welding, Brazing, and
Fusing Operators

Markings such as “ASME,” “ASME Standard,” or any other marking including “ASME,” ASME logos, or the ASME Single Certification Mark shall not be used on any item that is not constructed in accordance with all of the applicable requirements of the Code or Standard. Use of the ASME Single Certification Mark requires formal ASME certification; if no certification program is available, such ASME markings may not be used. (For Certification and Accreditation Programs, see <https://www.asme.org/certification-accreditation>.)

Items produced by parties not formally possessing an ASME Certificate may not be described, either explicitly or implicitly, as ASME certified or approved in any code forms or other document.

AN INTERNATIONAL CODE

2025 ASME Boiler & Pressure Vessel Code

2025 Edition

July 1, 2025

IX

QUALIFICATION STANDARD FOR WELDING, BRAZING, AND FUSING PROCEDURES; WELDERS; BRAZERS; AND WELDING, BRAZING, AND FUSING OPERATORS

ASME Boiler and Pressure Vessel Committee
on Welding, Brazing, and Fusing



The American Society of
Mechanical Engineers

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: July 1, 2025

This international code or standard was developed under procedures accredited as meeting the criteria for American National Standards and it is an American National Standard. The standards committee that approved the code or standard was balanced to ensure that individuals from competent and concerned interests had an opportunity to participate. The proposed code or standard was made available for public review and comment, which provided an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large

ASME does not “approve,” “certify,” “rate,” or “endorse” any item, construction, proprietary device, or activity. ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor does ASME assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility

Participation by federal agency representatives or persons affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

The endnotes and preamble in this document (if any) are part of this American National Standard.



ASME Collective Membership Mark



ASME Single Certification Mark

All rights reserved. “ASME” and the above ASME symbols are registered trademarks of The American Society of Mechanical Engineers. No part of this document may be copied, modified, distributed, published, displayed, or otherwise reproduced in any form or by any means, electronic, digital, or mechanical, now known or hereafter invented, without the express written permission of ASME. No works derived from this document or any content therein may be created without the express written permission of ASME. Using this document or any content therein to train, create, or improve any artificial intelligence and/or machine learning platform, system, application, model, or algorithm is strictly prohibited.

Library of Congress Catalog Card Number: 56-3934

Adopted by the Council of The American Society of Mechanical Engineers, 1914; latest edition 2025.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2025 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved
Printed in U.S.A.

TABLE OF CONTENTS

List of Sections	xii
Foreword	xiii
Statement of Policy on the Use of the ASME Single Certification Mark and Code Authorization in Advertising	xv
Statement of Policy on the Use of ASME Marking to Identify Manufactured Items	xv
Personnel	xvi
Correspondence With the Committee	xxxix
Introduction	xli
Summary of Changes	xliv
Cross-Referencing in the ASME BPVC	xlvi
Part QG	
QG-100	
QG-109	
Part QW	
Article I	
QW-100	
QW-110	
QW-120	
QW-130	
QW-140	
QW-150	
QW-160	
QW-170	
QW-180	
QW-190	
Appendix I	
Article II	
QW-200	
QW-210	
QW-220	
QW-250	
QW-290	
Article III	
QW-300	
QW-310	
QW-320	
QW-350	
QW-360	
General Requirements	1
Scope	1
Definitions	5
Welding	15
Welding General Requirements	15
Scope	15
Weld Orientation	15
Test Positions for Groove Welds	15
Test Positions for Fillet Welds	16
Types and Purposes of Tests and Examinations	17
Tension Tests	17
Guided-Bend Tests	18
Toughness Tests	19
Fillet-Weld Tests	20
Other Tests and Examinations	21
Rounded Indication Charts	29
Welding Procedure Qualifications	30
General	30
Preparation of Test Coupon	33
Hybrid Welding Procedure Variables	36
Welding Variables	36
Temper Bead Welding	71
Welding Performance Qualifications	75
General	75
Qualification Test Coupons	77
Retests and Renewal of Qualification	78
Welding Variables for Welders	79
Welding Variables for Welding Operators	80

QW-380	Special Processes	81
Article IV	Welding Data	84
QW-400	Variables	84
QW-410	Technique	95
QW-420	P-Numbers	100
QW-430	F-Numbers	194
QW-440	Weld Metal Chemical Composition	206
QW-450	Specimens	207
QW-460	Graphics	212
QW-470	Etching — Processes and Reagents	251
Article V	Standard Welding Procedure Specifications (SWPSS)	253
QW-500	General	253
QW-510	Adoption of SWPSS	253
QW-520	Use of SWPSS Without Discrete Demonstration	253
QW-530	Forms	254
QW-540	Production Use of SWPSS	254
Article VI	Material Manufacturing Using Wire-Additive Welding	255
QW-600	General	255
QW-610	Qualification Variables for Wire-Additive Welding Procedures	255
QW-620	Specimen Testing and Acceptance Criteria for Wire-Additive Welding	256
QW-650	Welding Variables	257
Part QB	Brazing	259
Article XI	Brazing General Requirements	259
QB-100	Scope	259
QB-110	Braze Orientation	259
QB-120	Test Positions for Lap, Butt, Scarf, or Rabbet Joints	259
QB-140	Types and Purposes of Tests and Examinations	260
QB-150	Tension Tests	260
QB-160	Guided-Bend Tests	261
QB-170	Peel Tests	262
QB-180	Sectioning Tests and Workmanship Coupons	262
Article XII	Brazing Procedure Qualifications	263
QB-200	General	263
QB-210	Preparation of Test Coupon	265
QB-250	Brazing Variables	265
Article XIII	Brazing Performance Qualifications	269
QB-300	General	269
QB-310	Qualification Test Coupons	270
QB-320	Retests and Renewal of Qualification	270
QB-350	Brazing Variables for Brazers and Brazing Operators	270
Article XIV	Brazing Data	271
QB-400	Variables	271
QB-410	Technique	272
QB-420	P-Numbers	272
QB-430	F-Numbers	272

QB-450	Specimens	276
QB-460	Graphics	279
Part QF	Plastic Fusing	299
Article XXI	Plastic Fusing General Requirements	299
QF-100	Scope	299
QF-110	Fused Joint Orientation	299
QF-120	Test Positions	299
QF-130	Data Acquisition and Evaluation	299
QF-140	Examinations and Tests	300
Article XXII	Fusing Procedure Qualifications	306
QF-200	General	306
QF-220	Standard Fusing Procedure Specifications	309
QF-250	Fusing Variables	313
Article XXIII	Plastic Fusing Performance Qualifications	316
QF-300	General	316
QF-310	Qualification Test Coupons	317
QF-320	Retests and Renewal of Qualification	317
QF-360	Essential Variables for Performance Qualification of Fusing Operators	318
Article XXIV	Plastic Fusing Data	319
QF-400	Variables	319
QF-420	Material Groupings	320
QF-450	Pipe-Diameter Limits	321
QF-460	Graphics	322
QF-480	Forms	335
QF-490	Definitions	349
Nonmandatory Appendix B	Welding and Brazing Forms	350
B-100	Forms	350
Mandatory Appendix E	Permitted Standard Welding Procedure Specifications (SWPSs) .	361
E-100	Introduction	361
E-200	Background	361
E-300	Instructions for Adoption	361
Mandatory Appendix F	Standard Units for Use in Equations	364
Mandatory Appendix G	Guidance for the Use of U.S. Customary and SI Units in the ASME Boiler and Pressure Vessel Code	365
G-100	Use of Units in Equations	365
G-200	Guidelines Used to Develop SI Equivalents	365
G-300	Soft Conversion Factors	367
Nonmandatory Appendix H	Waveform Controlled Welding	368
H-100	Background	368
H-200	Waveform Controlled Welding and Heat Input Determination	368
H-300	New Procedures Qualifications	368
H-400	Existing Qualified Procedures	369
H-500	Performance Qualifications	369
Mandatory Appendix J	Guideline for Requesting P-Number Assignments for Base Metals Not Listed in Table QW/QB-422	370
J-100	Introduction	370

J-200	Request Format	370
J-300	Submittals	370
Mandatory Appendix K	Guidance on Invoking Section IX Requirements in Other Codes, Standards, Specifications, and Contract Documents	371
K-100	Background and Purpose	371
K-200	Scope of Section IX and What Referencing Documents Must Address .	371
K-300	Recommended Wording — General	371
Nonmandatory Appendix L	Welders and Welding Operators Qualified Simultaneously to (EN) ISO 9606-1, ISO 14732, and Section IX	374
L-100	Introduction	374
L-200	Administrative Requirements	374
L-300	Technical Requirements	374
L-400	Testing Requirements	374
Figures		
QG-109.2.1	Typical Single and Multibead Layers	14
QG-109.2.2	Typical Single Bead Layers	14
QW-191.1.2.2(b)(4)	Rounded Indication Charts	23
QW-461.1	Positions of Welds — Groove Welds	212
QW-461.2	Positions of Welds — Fillet Welds	213
QW-461.3	Groove Welds in Plate — Test Positions	214
QW-461.4	Groove Welds in Pipe — Test Positions	214
QW-461.5	Fillet Welds in Plate — Test Positions	214
QW-461.6	Fillet Welds in Pipe — Test Positions	215
QW-461.7	Stud Welds — Test Positions	216
QW-461.8	Stud Welds — Welding Positions	216
QW-461.10	Rotating Tool Design Characteristics (FSW) Referenced in QW-410 . .	218
QW-462.1(a)	Tension — Reduced Section — Plate	219
QW-462.1(b)	Tension — Reduced Section — Pipe	220
QW-462.1(c)	Tension — Reduced Section Alternate for Pipe	220
QW-462.1(d)	Tension — Reduced Section — Turned Specimens	221
QW-462.1(e)	Tension — Full Section — Small Diameter Pipe	222
QW-462.2	Side Bend	223
QW-462.3(a)	Face and Root Bends — Transverse	224
QW-462.3(b)	Face and Root Bends — Longitudinal	224
QW-462.4(a)	Fillet Welds in Plate — Procedure	225
QW-462.4(b)	Fillet Welds in Plate — Performance	225
QW-462.4(c)	Fillet Welds in Pipe — Performance	226
QW-462.4(d)	Fillet Welds in Pipe — Procedure	226
QW-462.5(a)	Chemical Analysis and Hardness Specimen Corrosion-Resistant and Hard-Facing Weld Metal Overlay	227
QW-462.5(b)	Chemical Analysis Specimen, Hard-Facing Overlay Hardness, and Macro Test Location(s) for Corrosion-Resistant and Hard-Facing Weld Metal Overlay	228
QW-462.5(c)	Pipe Bend Specimen — Corrosion-Resistant Weld Metal Overlay . . .	229
QW-462.5(d)	Plate Bend Specimens — Corrosion-Resistant Weld Metal Overlay . .	230

QW-462.5(e)	Plate Macro, Hardness, and Chemical Analysis Specimens — Corrosion-Resistant and Hard-Facing Weld Metal Overlay	231
QW-462.7.1	Resistance Seam Weld Test Coupon	231
QW-462.7.2	Seam Weld Section Specimen Removal	232
QW-462.7.3	Resistance Weld Nugget Section Test Specimens	232
QW-462.8.1	Spot Welds in Sheets	233
QW-462.8.2	Seam Weld Peel Test Specimen and Method	234
QW-462.9	Spot Welds in Sheet	235
QW-462.12	Nomenclature for Temper Bead Welding	236
QW-462.13	Measurement of Temper Bead Overlap	237
QW-463.1(a)	Plates — Less Than $\frac{3}{4}$ in. (19 mm) Thickness Procedure Qualification	237
QW-463.1(b)	Plates — $\frac{3}{4}$ in. (19 mm) and Over Thickness and Alternate From $\frac{3}{8}$ in. (10 mm) but Less Than $\frac{3}{4}$ in. (19 mm) Thickness Procedure Qualification	237
QW-463.1(c)	Plates — Longitudinal Procedure Qualification	237
QW-463.1(d)	Procedure Qualification	238
QW-463.1(e)	Procedure Qualification	238
QW-463.1(f)	Toughness Test Specimen Location	239
QW-463.2(a)	Plates — Less Than $\frac{3}{4}$ in. (19 mm) Thickness Performance Qualification	239
QW-463.2(b)	Plates — $\frac{3}{4}$ in. (19 mm) and Over Thickness and Alternate From $\frac{3}{8}$ in. (10 mm) but Less Than $\frac{3}{4}$ in. (19 mm) Thickness Performance Qualification	239
QW-463.2(c)	Plates — Longitudinal Performance Qualification	240
QW-463.2(d)	Performance Qualification	240
QW-463.2(e)	Performance Qualification	240
QW-463.2(f)	Pipe — NPS 10 (DN 250) Assembly Performance Qualification	241
QW-463.2(g)	NPS 6 (DN 150) or NPS 8 (DN 200) Assembly Performance Qualification	242
QW-463.2(h)	Performance Qualification	243
QW-464.1	Procedure Qualification Test Coupon and Test Specimens	244
QW-464.2	Performance Qualification Test Coupons and Test Specimens	245
QW-466.1	Test Jig Dimensions	246
QW-466.2	Guided-Bend Roller Jig	248
QW-466.3	Guided-Bend Wrap Around Jig	248
QW-466.4	Stud-Weld Bend Jig	249
QW-466.5	Torque Testing Arrangement for Stud Welds	250
QW-466.6	Suggested Type Tensile Test Figure for Stud Welds	250
QW-469.1	Butt Joint	250
QW-469.2	Alternative Butt Joint	251
QW-661(a)	Layer Width, W , $>\frac{1}{2}$ in. (13 mm) Procedure Qualification	258
QW-661(b)	Layer Width, W , $\leq\frac{1}{2}$ in. (13 mm) Procedure Qualification	258
QB-461.1	Flow Positions	279
QB-461.2	Test Flow Positions	280
QB-462.1(a)	Tension — Reduced Section for Butt and Scarf Joints — Plate	282
QB-462.1(b)	Tension — Reduced Section for Butt, Lap, and Scarf Joints — Pipe	283
QB-462.1(c)	Tension — Reduced Section for Lap and Rabbet Joints — Plate	284

QB-462.1(e)	Tension — Full Section for Lap, Scarf, and Butt Joints — Small Diameter Pipe	285
QB-462.1(f)	Support Fixture for Reduced-Section Tension Specimens	286
QB-462.2(a)	Transverse First and Second Surface Bends — Plate and Pipe	287
QB-462.2(b)	Longitudinal First and Second Surface Bends — Plate	287
QB-462.3	Lap Joint Peel Specimen	288
QB-462.4	Lap Joint Section Specimen (See QB-181)	288
QB-462.5	Workmanship Coupons	289
QB-463.1(a)	Plates Procedure Qualification	290
QB-463.1(b)	Plates Procedure Qualification	290
QB-463.1(c)	Plates Procedure Qualification	291
QB-463.1(d)	Plates Procedure Qualification	292
QB-463.1(e)	Pipe — Procedure Qualification	293
QB-463.2(a)	Plates Performance Qualification	294
QB-463.2(b)	Plates Performance Qualification	295
QB-463.2(c)	Pipe Performance Qualification	296
QB-466.1	Guided-Bend Jig	297
QB-466.2	Guided-Bend Roller Jig	298
QB-466.3	Guided-Bend Wrap Around Jig	298
QF-221.1	Required Minimum Melt Bead Size	311
QF-461.1	Fusing Positions	322
QF-461.2	Fusing Test Positions	323
QF-462(a)	Cross Section of Upset Beads for Butt-Fused PE Pipe	324
QF-462(b)	Cross Section of Upset Beads for Sidewall-Fused Fitting (Profile at Crotch of Fitting)	325
QF-463	Bend Test Specimen Removal, Configuration, and Testing	326
QF-464	HSTIT Specimen Configuration and Dimensions	328
QF-465	HSTIT Specimen Failure Examples	329
QF-466	Electrofusion Crush Test	330
QF-467	Electrofusion Bend Test	331
QF-468	Fusion Zone Void Criteria	332
QF-469	Electrofusion Peel Test	333
QF-470	Short-Term Hydrostatic Test Specimen	334
K-305	Proposed Code Case Template	373
Tables		
QW-252	Welding Variables Procedure Specifications (WPS) — Oxyfuel Gas Welding (OFW)	38
QW-252.1	Welding Variables Procedure Specifications (WPS) — Oxyfuel Gas Welding (OFW)	39
QW-253	Welding Variables Procedure Specifications (WPS) — Shielded Metal-Arc Welding (SMAW)	40
QW-253.1	Welding Variables Procedure Specifications (WPS) — Shielded Metal-Arc Welding (SMAW)	41
QW-254	Welding Variables Procedure Specifications (WPS) — Submerged-Arc Welding (SAW)	42