

ASME BPVC.VI-2025

# SECTION VI

# 2025

ASME Boiler and  
Pressure Vessel Code  
An International Code

Recommended Rules for  
the Care and Operation  
of Heating Boilers

  
**ASME**  
SETTING THE STANDARD

Markings such as “ASME,” “ASME Standard,” or any other marking including “ASME,” ASME logos, or the ASME Single Certification Mark shall not be used on any item that is not constructed in accordance with all of the applicable requirements of the Code or Standard. Use of the ASME Single Certification Mark requires formal ASME certification; if no certification program is available, such ASME markings may not be used. (For Certification and Accreditation Programs, see <https://www.asme.org/certification-accreditation>.)

Items produced by parties not formally possessing an ASME Certificate may not be described, either explicitly or implicitly, as ASME certified or approved in any code forms or other document.

AN INTERNATIONAL CODE

# 2025 ASME Boiler & Pressure Vessel Code

2025 Edition

July 1, 2025

## VI RECOMMENDED RULES FOR THE CARE AND OPERATION OF HEATING BOILERS

ASME Boiler and Pressure Vessel Committee  
on Heating Boilers



The American Society of  
Mechanical Engineers

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: July 1, 2025

This international code or standard was developed under procedures accredited as meeting the criteria for American National Standards and it is an American National Standard. The standards committee that approved the code or standard was balanced to ensure that individuals from competent and concerned interests had an opportunity to participate. The proposed code or standard was made available for public review and comment, which provided an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large

ASME does not “approve,” “certify,” “rate,” or “endorse” any item, construction, proprietary device, or activity. ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor does ASME assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility

Participation by federal agency representatives or persons affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

The endnotes and preamble in this document (if any) are part of this American National Standard.



ASME Collective Membership Mark



ASME Single Certification Mark

All rights reserved. “ASME” and the above ASME symbols are registered trademarks of The American Society of Mechanical Engineers. No part of this document may be copied, modified, distributed, published, displayed, or otherwise reproduced in any form or by any means, electronic, digital, or mechanical, now known or hereafter invented, without the express written permission of ASME. No works derived from this document or any content therein may be created without the express written permission of ASME. Using this document or any content therein to train, create, or improve any artificial intelligence and/or machine learning platform, system, application, model, or algorithm is strictly prohibited.

Library of Congress Catalog Card Number: 56-3934

Adopted by the Council of The American Society of Mechanical Engineers, 1914; latest edition 2025.

The American Society of Mechanical Engineers  
Two Park Avenue, New York, NY 10016-5990

Copyright © 2025 by  
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS  
All rights reserved  
Printed in U.S.A.



# TABLE OF CONTENTS

List of Sections . . . . .		vi
Foreword . . . . .		vii
Statement of Policy on the Use of the ASME Single Certification Mark and Code Authorization in Advertising . . . . .		ix
Statement of Policy on the Use of ASME Marking to Identify Manufactured Items . . . . .		ix
Personnel . . . . .		x
Correspondence With the Committee . . . . .		xxxiii
Summary of Changes . . . . .		xxxv
Cross-Referencing in the ASME BPVC . . . . .		xxxvi
<b>Article 1</b>	<b>Introduction . . . . .</b>	<b>1</b>
<b>Article 2</b>	<b>Glossary . . . . .</b>	<b>2</b>
<b>Article 3</b>	<b>Types of Boilers . . . . .</b>	<b>6</b>
3.1	Classification . . . . .	6
3.2	ASME Certification Mark . . . . .	6
3.3	Method of Manufacture . . . . .	6
3.4	Category . . . . .	7
<b>Article 4</b>	<b>Fuels and Fuel-Burning Equipment . . . . .</b>	<b>11</b>
4.1	Types of Fuels . . . . .	11
4.2	Fuel-Burning Equipment . . . . .	13
<b>Article 5</b>	<b>Boiler Room Facilities and Installation . . . . .</b>	<b>15</b>
5.1	General . . . . .	15
5.2	Lighting . . . . .	15
5.3	Ventilation and Combustion Air . . . . .	15
5.4	Clearances . . . . .	16
5.5	Fire Protection . . . . .	16
5.6	Electrical Supply . . . . .	16
5.7	Fuel Supply . . . . .	16
5.8	Chimney or Vent . . . . .	16
5.9	Piping — Water and Drain Connections . . . . .	16
5.10	Safety . . . . .	25
5.11	Housekeeping . . . . .	25
5.12	Posting of Certificates and/or Licenses . . . . .	25
5.13	Record Keeping, Logs, Etc. . . . .	26
<b>Article 6</b>	<b>Overpressure Protection . . . . .</b>	<b>27</b>
6.1	Pressure Relief Valves . . . . .	27
6.2	Pressure Relief Valve Requirements . . . . .	27
6.3	Mounting . . . . .	29
6.4	Pressure Relief Valve Discharge Piping . . . . .	29

6.5	Temperature and Pressure Safety Relief Valves . . . . .	29
6.6	Valve Replacement . . . . .	31
6.7	Try-Lever Test for Safety Valves (Steam Boilers) . . . . .	31
6.8	Try-Lever Test for Safety Relief Valves (Water Boilers) . . . . .	31
<b>Article 7</b>	<b>System Accessories</b> . . . . .	32
7.1	Steam Boilers . . . . .	32
7.2	Hot Water Boilers . . . . .	34
<b>Article 8</b>	<b>Controls and Instrumentation</b> . . . . .	36
8.1	Low-Water Fuel Cutoffs and Water Feeders . . . . .	36
8.2	Pressure Gauge . . . . .	38
8.3	Controls . . . . .	38
8.4	Steam Heating Boilers . . . . .	39
8.5	Hot Water Heating Boilers . . . . .	40
<b>Article 9</b>	<b>Operation and Maintenance of Steam Boilers</b> . . . . .	42
9.1	Starting a New Boiler and Heating System . . . . .	42
9.2	Starting a Boiler After Layup (Single-Boiler Installation) . . . . .	43
9.3	Condensation . . . . .	43
9.4	Cutting in an Additional Boiler . . . . .	43
9.5	Operation . . . . .	44
9.6	Removal of Boiler From Service . . . . .	45
9.7	Maintenance . . . . .	45
<b>Article 10</b>	<b>Operation and Maintenance — Hot Water Boilers and Hot Water Heating Boilers</b> . . . . .	48
10.1	Starting a New Boiler and Heating System . . . . .	48
10.2	Starting a Boiler After Layup (Single-Boiler Installation) . . . . .	48
10.3	Condensation . . . . .	49
10.4	Cutting in an Additional Boiler . . . . .	49
10.5	Operation . . . . .	49
10.6	Removal of Boiler From Service . . . . .	49
10.7	Maintenance . . . . .	50
<b>Article 11</b>	<b>Inspections of Installed Boilers</b> . . . . .	53
11.1	Periodic Inspection of Boilers . . . . .	53
11.2	Inspection of the Boiler by the Inspector . . . . .	53
<b>Article 12</b>	<b>Boiler Repairs</b> . . . . .	54
12.1	Precaution . . . . .	54
12.2	Notification . . . . .	54
12.3	Welding Requirements . . . . .	54
12.4	Safety . . . . .	54
<b>Article 13</b>	<b>Water Treatment</b> . . . . .	55
13.1	Scope . . . . .	55
13.2	Considerations . . . . .	55
13.3	Water Treatment Specialists . . . . .	55
13.4	Local Ordinances . . . . .	55
13.5	Potential Boiler Water Problems . . . . .	55
13.6	Blowdown (Steam Boilers) . . . . .	56

13.7	Chemical Feeders . . . . .	56
13.8	Procedures . . . . .	56
<b>Article 14</b>	<b>Treatment of Laid-Up Boilers . . . . .</b>	<b>57</b>
14.1	General . . . . .	57
14.2	Dry Method . . . . .	57
14.3	Wet Method . . . . .	57
<b>Mandatory Appendix I</b>	<b>Periodic Testing and Maintenance . . . . .</b>	<b>58</b>
I-1	Inspection and Maintenance Program . . . . .	58
I-2	Responsibilities of Personnel . . . . .	58
 <b>Figures</b>		
3.3.1.1.1-1	Horizontal Tube, Brick-Set . . . . .	8
3.3.1.1.2-1	Gas Flow Patterns of Scotch-Type Boilers . . . . .	8
3.3.1.1.3-1	Type C Firebox Boiler . . . . .	9
3.3.1.1.3-2	Three-Pass Firebox Boiler . . . . .	9
3.3.1.1.4-1	Vertical Firetube Boiler . . . . .	10
3.3.2.1-1	Horizontal Sectional Cast Iron Boiler . . . . .	10
3.3.2.1-2	Vertical Sectional Cast Iron Boiler . . . . .	10
5.9.1-1	Single Hot Water Heating Boiler — Acceptable Piping Installation . . .	17
5.9.1-2	Hot Water Heating Boilers in Battery — Acceptable Piping Installation	18
5.9.1-3	Single Steam Boilers — Acceptable Piping Installation . . . . .	19
5.9.1-4	Steam Boilers in Battery — Pumped Return — Acceptable Piping Installation . . . . .	20
5.9.1-5	Steam Boilers in Battery — Gravity Return — Acceptable Piping Installation . . . . .	21
5.9.8-1	Modules Connected With Parallel Piping . . . . .	24
5.9.8-2	Modules Connected With Primary–Secondary Piping . . . . .	24
6.1.1-1	Official Certification Mark . . . . .	27
6.1.2-1	Safety Valve . . . . .	28
6.1.3-1	Safety Relief Valve . . . . .	28
6.4.1-1	Safety Relief Valve Discharge Pipe . . . . .	30
7.1.1-1	Thermostatic Trap . . . . .	32
7.1.1-2	Float Trap . . . . .	33
7.1.1-3	Float and Thermostatic Trap . . . . .	33
7.1.1-4	Bucket Trap With Trap Closed . . . . .	33
7.1.2.3-1	Typical Return Loop . . . . .	34
8.1.1-1	Float-Type Low-Water Cutoff . . . . .	36
8.1.2-1	Probe-Type Low-Water Cutoff . . . . .	37
I-1-1	Exhibit A . . . . .	59
I-1-2	Exhibit B . . . . .	61
 <b>Table</b>		
5.9.5-1	Size of Bottom Blowoff Piping, Valves, and Cocks . . . . .	22

# LIST OF SECTIONS

## SECTIONS

- I Rules for Construction of Power Boilers
- II Materials
  - Part A — Ferrous Material Specifications
  - Part B — Nonferrous Material Specifications
  - Part C — Specifications for Welding Rods, Electrodes, and Filler Metals
  - Part D — Properties (Customary)
  - Part D — Properties (Metric)
- III Rules for Construction of Nuclear Facility Components
  - Subsection NCA — General Requirements for Division 1 and Division 2
  - Appendices
  - Division 1
    - Subsection NB — Class 1 Components
    - Subsection NCD — Class 2 and Class 3 Components
    - Subsection NE — Class MC Components
    - Subsection NF — Supports
    - Subsection NG — Core Support Structures
  - Division 2 — Code for Concrete Containments
  - Division 3 — Containment Systems for Transportation and Storage of Spent Nuclear Fuel and High-Level Radioactive Material
  - Division 4 — Fusion Energy Devices
  - Division 5 — High Temperature Reactors
- IV Rules for Construction of Heating Boilers
- V Nondestructive Examination
- VI Recommended Rules for the Care and Operation of Heating Boilers
- VII Recommended Guidelines for the Care of Power Boilers
- VIII Rules for Construction of Pressure Vessels
  - Division 1
  - Division 2 — Alternative Rules
  - Division 3 — Alternative Rules for Construction of High Pressure Vessels
- IX Welding, Brazing, and Fusing Qualifications
- X Fiber-Reinforced Plastic Pressure Vessels
- XI Rules for Inservice Inspection of Nuclear Reactor Facility Components
  - Division 1 — Rules for Inservice Inspection of Nuclear Power Plant Components
  - Division 2 — Requirements for Reliability and Integrity Management (RIM) Programs for Nuclear Reactor Facilities
- XII Rules for Construction and Continued Service of Transport Tanks
- XIII Rules for Overpressure Protection



# FOREWORD\*

(25)

In 1911, The American Society of Mechanical Engineers established the Boiler and Pressure Vessel Committee to formulate standard rules for the construction of steam boilers and other pressure vessels. In 2009, the Boiler and Pressure Vessel Committee was superseded by the following committees:

- (a) Committee on Power Boilers (I)
- (b) Committee on Materials (II)
- (c) Committee on Construction of Nuclear Facility Components (III)
- (d) Committee on Heating Boilers (IV)
- (e) Committee on Nondestructive Examination (V)
- (f) Committee on Pressure Vessels (VIII)
- (g) Committee on Welding, Brazing, and Fusing (IX)
- (h) Committee on Fiber-Reinforced Plastic Pressure Vessels (X)
- (i) Committee on Nuclear Inservice Inspection (XI)
- (j) Committee on Transport Tanks (XII)
- (k) Committee on Overpressure Protection (XIII)
- (l) Technical Oversight Management Committee (TOMC)

Where reference is made to “the Committee” in this Foreword, each of these committees is included individually and collectively.

The Committee’s function is to establish rules of safety relating to pressure integrity. The rules govern the construction\*\* of boilers, pressure vessels, transport tanks, and nuclear components, and the inservice inspection of nuclear components and transport tanks. For nuclear items other than pressure-retaining components, the Committee also establishes rules of safety related to structural integrity. The Committee also interprets these rules when questions arise regarding their intent. The technical consistency of the Sections of the Code and coordination of standards development activities of the Committees is supported and guided by the Technical Oversight Management Committee. The Code does not address other safety issues relating to the construction of boilers, pressure vessels, transport tanks, or nuclear components, or the inservice inspection of nuclear components or transport tanks. Users of the Code should refer to the pertinent codes, standards, laws, regulations, or other relevant documents for safety issues other than those relating to pressure integrity and, for nuclear items other than pressure-retaining components, structural integrity. Except for Sections XI and XII, and with a few other exceptions, the rules do not, of practical necessity, reflect the likelihood and consequences of deterioration in service related to specific service fluids or external operating environments. In formulating the rules, the Committee considers the needs of users, manufacturers, and inspectors of components addressed by the Code. The objective of the rules is to afford reasonably certain protection of life and property, and to provide a margin for deterioration in service to give a reasonably long, safe period of usefulness. Advancements in design and materials and evidence of experience have been recognized.

The Code contains mandatory requirements, specific prohibitions, and nonmandatory guidance for construction activities and inservice inspection and testing activities. The Code does not address all aspects of these activities and those aspects that are not specifically addressed should not be considered prohibited. The Code is not a handbook and cannot replace education, experience, and the use of engineering judgment. The phrase *engineering judgment* refers to technical judgments made by knowledgeable engineers experienced in the application of the Code. Engineering judgments must be consistent with Code philosophy, and such judgments must never be used to overrule mandatory requirements or specific prohibitions of the Code.

The Committee recognizes that tools and techniques used for design and analysis change as technology progresses and expects engineers to use good judgment in the application of these tools. The designer is responsible for complying with Code rules and demonstrating compliance with Code equations when such equations are mandatory. The Code neither requires nor prohibits the use of computers for the design or analysis of components constructed to the requirements of the Code. However, designers and engineers using computer programs for design or analysis are cautioned that they are

\*The information contained in this Foreword is not part of this American National Standard (ANS) and has not been processed in accordance with ANSI’s requirements for an ANS. Therefore, this Foreword may contain material that has not been subjected to public review or a consensus process. In addition, it does not contain requirements necessary for conformance to the Code.

\*\* *Construction*, as used in this Foreword, is an all-inclusive term comprising materials, design, fabrication, examination, inspection, testing, certification, and overpressure protection.

responsible for all technical assumptions inherent in the programs they use and the application of these programs to their design.

The rules established by the Committee are not to be interpreted as approving, recommending, or endorsing any proprietary or specific design, or as limiting in any way the manufacturer's freedom to choose any method of design or any form of construction that conforms to the Code rules.

The Committee meets regularly to consider revisions of the rules, new rules as dictated by technological development, Code cases, and requests for interpretations. Only the Committee has the authority to provide official interpretations of the Code. Requests for revisions, new rules, Code cases, or interpretations shall be addressed to the staff secretary in writing and shall give full particulars in order to receive consideration and action (see the Correspondence With the Committee page). Proposed revisions to the Code resulting from inquiries will be presented to the Committee for appropriate action. The action of the Committee becomes effective only after confirmation by ballot of the Committee and approval by ASME. Proposed revisions to the Code approved by the Committee are submitted to the American National Standards Institute (ANSI) and published at <http://go.asme.org/BPVCPublicReview> to invite comments from all interested persons. After public review and final approval by ASME, revisions are published at regular intervals in Editions of the Code.

The Committee does not rule on whether a component shall or shall not be constructed to the provisions of the Code. The scope of each Section has been established to identify the components and parameters considered by the Committee in formulating the Code rules.

Questions or issues regarding compliance of a specific component with the Code rules are to be directed to the ASME Certificate Holder (Manufacturer). Inquiries concerning the interpretation of the Code are to be directed to the Committee. ASME is to be notified should questions arise concerning improper use of the ASME Single Certification Mark.

When required by context in the Code, the singular shall be interpreted as the plural, and vice versa.

The words "shall," "should," and "may" are used in the Code as follows:

- *Shall* is used to denote a requirement.
- *Should* is used to denote a recommendation.
- *May* is used to denote permission, neither a requirement nor a recommendation.